

REL S.O.	ZDVSNM3665T	VOLTS	460	ENCLOSURE	TEFC	WYE CONN EQ CKT OHMS PER PHASE			
FRAME	184TC	AMPS	6.6	MAX SAFE RPM	6000	(AT BASE RATING, 25°C)			
HP	5	DUTY	CONT	In (AMPS)	3.6	R1	1.1200	X1	2.8100
BASE SPEED	1750	S.F.	1.0	P.F. @NL/FL	6/79	R2	0.9210	X2	2.3200
PHASE/HZ	3/60	AMB°C/INSUL	40/F	WK ² (lb-ft ²)	0.4			XM	68.7200

Rated Full Load Data


	RPM	HP	Torque	Volts	Freq-Hz	Amps
Base Speed	1751	5.0	15.00	460	60	6.54
Max Speed	2626	5.0	9.98	460	90	5.95
Min Speed	0	0.0	14.97	32.29	1.63	6.54

Load Performance at Base Speed

	RPM	HP	Torque	Volts	Freq-Hz	Amps
No Load	1799	0.0	0.00	460	60	3.60
1/4	1788	1.3	3.74	460	60	3.72
1/2	1777	2.5	7.52	460	60	4.37
3/4	1764	3.8	11.30	460	60	5.41
Full Load	1751	5.0	15.00	460	60	6.54
O/L	1708	10.0	30.70	460	60	12.00


Blower Data	Volts	Ph/Hz	FL Amps	LR Amps	Frame	CFM

Remarks: Calculated Data
Vector PWM Inverter Duty

 <p>BALDOR A MEMBER OF THE ABB GROUP</p>	DR BY <u>Micheal Williamson</u>	A-C MOTOR PERFORMANCE CURVES 06H929X369Z1	ISSUE DATE 5/14/2013
	CK BY <u>Micheal Williamson</u>		
	APP BY <u>Micheal Williamson</u>		
	DATE <u>5/14/2013</u>		

REL S.O.	ZDVSNM3665T	VOLTS	460	ENCLOSURE	TEFC	WYE CONN EQ CKT OHMS PER PHASE		
FRAME	184TC	AMPS	6.6	MAX SAFE RPM	6000	(AT BASE RATING, 25 ⁰ C)		
HP	5	DUTY	CONT	In (AMPS)	3.6	R1	1.1200	X1 2.8100
BASE SPEED	1750	S.F.	1.00	P.F. @NL/FL	6/79	R2	0.9210	X2 2.3200
PHASE/HZ	3/60	AMB ⁰ C/INSUL	40/F	WK ² (lb-ft ²)	0.4			XM 68.7200

Vector PWM Inverter Duty
Variable Speed AC Motor Curves



Calculated Data

Data Valid For Nameplate Speed Range only



DR BY Micheal Williamson
 CK BY Micheal Williamson
 APP BY Micheal Williamson
 DATE 5/14/2013


A-C MOTOR PERFORMANCE
CURVES

06H929X369Z1

SH 1 of 2
ISSUE DATE 5/14/2013

REL S.O.	ZDVSNM3665T	VOLTS	460	ENCLOSURE	TEFC	WYE CONN EQ CKT OHMS PER PHASE			
FRAME	184TC	AMPS	6.6	MAX SAFE RPM	6000	(AT BASE RATING, 25 ⁰ C)			
HP	5	DUTY	CONT	In (AMPS)	3.6	R1	1.1200	X1	2.8100
BASE SPEED	1750	S.F.	1.00	P.F. @NL/FL	6/79	R2	0.9210	X2	2.3200
PHASE/HZ	3/60	AMB ⁰ C/INSUL	40/F	WK ² (Lb-Ft ²)	0.4			XM	68.7200

Vector PWM Inverer Duty
Variable Speed AC Motor Curves



Calculated Data

Data Valid For Nameplate Speed Range only



DR BY Michael Williamson
 CK BY Michael Williamson
 APP BY Michael Williamson
 DATE 5/14/2013

A-C MOTOR
PERFORMANCE CURVES

06H929X369Z1

SH 2 of 2
ISSUE DATE 5/14/2013