

ABB BALDOR RELIANCE III

Customer information packet

D50200RS-BV

200HP, 1750RPM, DC, 3612ATZ, DPG-FV,

Specifications

Enclosure	DP
Frame	LC3612ATZ
Frame Material	Exposed Laminations
Output Power	200.000 HP
Agency Approvals	CCSA US
Ambient Temperature	40 °C
Bearing Grease Type	Polyrex EM (-20F +300F)
Drip Cover	No Drip Cover
Feedback Device	NO FEEDBACK
Field Winding Type	STAB SHUNT
Frame Prefix	LC
Heater Indicator	No Heater
Lifting Lugs	Standard Lifting Lugs
Motor Standards	NEMA
Mounting Arrangement	F2
Overall Length	46.62 IN
Shaft Extension Location	Pulley End
Shaft Ground Indicator	No Shaft Grounding
Shaft Slinger Indicator	No Slinger

Part Detail

Revision	-
Type	DC
Mech. spec.	
Base	
Status	PRD/A
Elec. spec.	G7619A A
Layout	609972-049
Eff. date	04-13-2015
CD Diagram	406770-001
Poles	00
Leads	
Proprietary	False
Created date	04-09-2015

Nameplate

000613006LP									
CAT.NO.	D50200RS-BV	SPEC NO.	T36S1314						
FR	LC 3612ATZ	HP	200		DUTY	CONT			
ENCL.	DP	RPM	1750/ 2000			S.F.	1.0		
ENCL MOD	FORCE VENT	VOLTS	500			INSUL	F		
MAX SAFE SPEED	3400	AMPS	321.00			AMB.	40		
FIELD DATA		SER.NO.							
WINDING	STAB SHUNT	POWER CODE	C						
VOLTS	300	D.E. BRG.	95BC02J30X						
MAX AMPS @ 25 C	5.41	O.D.E. BRG.	80BC02J30X						
HOT AMPS	3.91/ 3.29	MIN. AMB.	0			TYPE	TR		
BRUSH:419904052AB; AIR BAFFLED									

Parts List


Part number	Description	Quantity
SA297015	SA T36S1314	1.000 ea
AA016066	AA T36S1314	1.000 ea
000613006LP	EXTRUDER DUTY D-C MOTOR W/CSA	1.000 ea
000692000FP	NP, WARNING LIFT INSTRUCTIONS	1.000 ea
000692000FS	WARNING LABEL	1.000 ea
033775004EA	DRSCR #6-1/4 304 S.S.	6.000 ea
406770001	C/D TAG (STAB SHUNT)	1.000 ea
036000014JB	M8 X 1.25X14MM HXHDCS	4.000 ea
036000020KB	MHHCS M10-1.5X20MM PLTD.	4.000 ea
036501009AB	M8-1.25 X 9MM HEX NUTS	8.000 ea
036600009AB	METRIC FLWASH M8 PLATED	4.000 ea
036610010AB	MHSLW M10 PLATED	4.000 ea
419904-52AB	BRUSH C	8.000 ea
419905003A	FLAT WASHER ROCKER RPM III RGG	4.000 ea
419905004A	HARDWARE	8.000 ea
706364052F	BRHLD METRIC SPRING CHG.	4.000 ea
706372012RC	ROCKR METRIC	1.000 ea
004824015A	GREASE POLYREX EM	0.600 lb
034693001AB	PPLG - G508- use 034692001AB	1.000 ea
034693001AB	PPLG - G508- use 034692001AB	1.000 ea
035000001A	ALFTG 1/8" 1610-BL	1.000 ea
035000001BB	GREASE FTG,GRS.IN	1.000 ea
036000075KB	HHCS M10 75MM ZINCPLAT	4.000 ea
036100080KA	M10-1.50X 80MM HXSOCHDCS	4.000 ea
036310012FB	PHMS M4 X 12MM M2	8.000 ea
036500013AB	M16 X 2.0 HX NUT,ODE BRKT 304589	4.000 ea
036500013AB	M16 X 2.0 HX NUT,ODE BRKT 304589	4.000 ea
036501006AB	KPNUT M4 ZINC	8.000 ea
406055001C	GRFTG	1.000 ea
049730000L	BPLUG	6.000 ea
412118001B	3/8-16 X 3/4 DRAIN SSTL.	1.000 ea

418057013A	GROMT	4.000 ea
418150003A	GREASE FITTING CAP	2.000 ea
419912001B	W WASHER	1.000 ea
609830005AA	TBOLT METRIC RP609830-	4.000 ea
706311006E	PLATE	1.000 ea
706311006F	INSUL	1.000 ea
706311006X	BAFLE	1.000 ea
801932052A	BRKT,ODE,C360	1.000 ea
801933057B	BRKT,DE,C360	1.000 ea
000613006NT	NAME PLATE IEC	1.000 ea
032018004CK	HHCS 3/8-16X1/2L PLATED	4.000 ea
032018006CK	HHCS 3/8-16X3/4L PLATED 411409	4.000 ea
036000025JB	HHCS M8X25MM LONG PLATED	4.000 ea
034017014AB	LCKW 3/8 STD. PLATED	4.000 ea
036000012JB	M8-1.25 X 12MM HXHDC	3.000 ea
036000016KB	HHCSM10-1.5X16MM PLTD-280	2.000 ea
036000020JB	HHCS M8-1.25X20L PLTD-250	6.000 ea
036000020JB	HHCS M8-1.25X20L PLTD-250	6.000 ea
036000045HB	MHHCS M6X45MM PLATED	3.000 ea
036010012GB	M5-.8 X 12 HXWHD SCREW	3.000 ea
036010012GB	M5-.8 X 12 HXWHD SCREW	6.000 ea
036010020HB	SEMS SCR,BRHLDR	8.000 ea
036100035JA	M8-1.25 X 35MM HXSOCHDCS	4.000 ea
036620009AB	M8 EXTERNAL LK WASHER	1.000 ea
036620010AB	M10 EXT. TOOTH LK WASHER	2.000 ea
065564004C	GASKT	1.000 ea
410978010F	FLANGE, INLET BLOWER HSG	1.000 ea
410978015A	GRILL, INLET FLANGE	1.000 ea
415000103F	TLUG	1.000 ea
417733004F	GASKT	1.000 ea
418014011A	ADAPT 603582011C	1.000 ea
418018070A	TAG "WARNING THERMOSTA	1.000 ea
418018074A	GROUND LABEL G100 METRIC 160 D.C.	3.000 ea
418153001A	GASK 440	1.000 ea

422919105	HHCVR KIT,C360,DE,SOLID	1.000 ea
422919105	HHCVR KIT,C360,DE,SOLID	1.000 ea
422919105	HHCVR KIT,C360,DE,SOLID	1.000 ea
422919116	HHCVR KIT,C360,ODE,SOLID	1.000 ea
422919116	HHCVR KIT,C360,ODE,SOLID	1.000 ea
422919127	HHCVR KIT,C360,ODE,LEXAN	1.000 ea
603529001L	GASKT	1.000 ea
603989007C	FILTR	1.000 ea
610409051A	ADAPT	1.000 ea
610490001BW	32M 2P TEFC VER 145TCZ S/P32-6 SUPER E	1.000 ea
611917001K	GASKT	1.000 ea
611917006Y	SCREEN, HAND HOLE CVR	1.000 ea
611965001E	BLOWER WHEEL	1.000 ea
702658001C	CONDUIT BOX, STEEL, E440 5" LEAD OUTLET	1.000 ea
702658002A	+C/BOX CVR, PAINTED 440	1.000 ea
705034035A	BAFFL	1.000 ea
706303020A	GUARD	2.000 ea
706303020B	GUARD	2.000 ea
706305026A	GUARD,SHAFT	1.000 ea
706313057J	HOUSING, BLOWER	1.000 ea
706920004R	FLHSG S MET	1.000 ea
706920007A	FLHSG	1.000 ea
000640000P	TAG WINDING THERMOST	1.000 ea
000692000NG	LABEL ;NP 4POLE METRIC LABEL	1.000 ea
004824007K	SPECIAL PAINT	0.300 ea
034180034JA	KEY 3/4X3/4X4-1/4 L	1.000 ea
418018071	LABEL LABE	1.000 ea

INDUSTRIAL DIRECT CURRENT MOTORS
AND GENERATORS – RPM III

STEEL AND CAST IRON TERMINAL BOX DIMENSIONS
STANDARD SIZE AND ONE SIZE LARGER
FRAMES C3210ATZ THRU C3613ATZ



DIMENSIONS ARE IN INCHES

STEEL TERMINAL BOX DIMENSIONS															
FRAME SIZE	MAX AMPS	STANDARD SIZE					PART NUMBER	ONE SIZE LARGER					PART NUMBER		
		AA(1)	AB	AC	AF	X		Y	AA(1)	AB	AC	AF		X	Y
C3210ATZ	128	2	14.88	11.38	4.25	8.44	7.25	74874-R	3	15.31	12.06	4.25	8.44	7.25	74874-24-R
C3212ATZ	185	3	15.31	12.06	4.25	8.44	7.25	74874-24-R	4	16.75	12.69	5.38	10.56	9.00	700308-3-R
C3214ATZ	500	4	16.75	12.69	5.38	10.56	9.00	700308-3-R	5	21.00	15.88	6.50	12.10	14.62	702658-1-C
C3612ATZ	128	2	15.88	12.38	4.25	8.44	7.25	74874-R	3	16.31	13.06	4.25	8.44	7.25	74874-24-R
C3612ATZ	185	3	16.31	13.06	4.25	8.44	7.25	74874-24-R	4	17.75	13.69	5.38	10.56	9.00	700308-3-R
C3613ATZ	269	4	17.75	13.69	5.38	10.56	9.00	700308-3-R	5	22.00	15.88	6.50	12.10	14.62	702658-1-C
C3613ATZ	500	5	22.00	15.88	6.50	12.10	14.62	702658-1-C	5	22.00	15.88	6.50	12.10	14.62	702658-1-C

CAST IRON TERMINAL BOX DIMENSIONS															
FRAME SIZE	MAX AMPS	STANDARD SIZE					PART NUMBER	ONE SIZE LARGER					PART NUMBER		
		AA(2)	AB	AC	AF	X		Y	AA(2)	AB	AC	AF		X	Y
C3210ATZ	128	1-1/2	13.62	11.19	3.00	6.00	7.00	75460-R	3	15.31	11.56	3.62	7.88	9.25	76700-RB
C3212ATZ	185	3	15.31	11.56	3.62	7.88	9.25	76700-RB	4	16.62	12.44	4.12	9.50	10.50	76708-RR
C3214ATZ	269	4	16.62	12.44	4.12	9.50	10.50	76708-RR	5	19.44	14.19	7.00	12.75	15.00	76870-S
C3612ATZ	128	1-1/2	14.62	12.19	3.00	6.00	7.00	75460-R	3	16.31	12.56	3.62	7.88	9.25	76700-RB
C3612ATZ	185	3	16.31	12.56	3.62	7.88	9.25	76700-RB	4	17.62	13.44	4.12	9.50	10.50	76708-RR
C3613ATZ	269	4	17.62	13.44	4.12	9.50	10.50	76708-RR	5	20.44	15.19	7.00	12.75	15.00	76870-S
C3613ATZ	500	5	20.44	15.19	7.00	12.75	15.00	76870-S	6	20.44	15.19	7.00	12.75	15.00	76870-R

CONDUIT BOX DIMENSIONS WITH TERMINAL BOARDS (IEC TYPE BOX)											
STANDARD SIZE											
FRAME SIZE	AMPS	AB	AC	AF	X	AA (3)	Y	PART NUMBER			
C320	400	19.02	15.28	6.20	14.39	---	14.39	706310-63-B			
	800	19.02	15.28	6.20	14.39	---	14.39	706310-63-B			
	1600	19.02	15.28	7.68	15.35	---	15.35	706310-63-C			
C360	400	20.00	15.28	6.20	14.39	---	14.39	706310-63-B			
	800	20.00	15.28	6.20	14.39	---	14.39	706310-63-B			
	1600	20.00	15.28	7.68	15.35	---	15.35	706310-63-C			

OPTIONAL AUXILIARY CONDUIT BOX DIMENSIONS (MAXIMUM)											
FRAME SIZE	XAB	XX	XY	FRAME SIZE	XAB	XX	XY	PART NUMBER			
C320	10.00	4.25	4.25	602007-26-A	C320	13.50	8.00	8.00	706310-3-B		
C360	11.00	4.25	4.25	602007-26-A	C360	14.50	8.00	8.00	706310-3-B		

- (1) "AA" CONDUIT.
- (2) "AF" PIPE TAP.
- (3) CUSTOMER TO PROVIDE HOLE FOR CONDUIT.
- (4) TERMINAL BOX LOCATED ON OPPOSITE SIDE WHEN F-2, V-1, V-4, V-5, W-7, OR C-1 MOUNTING IS SPECIFIED. BOX LOCATED ON TOP WHEN SPECIFIED.
- (5) "X/P" TERMINAL BOX DIMENSIONS SEE 609979-2.
- (6) FOR MILL TYPE TERMINAL BOX DIMENSIONS SEE 609979-3.


CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: LOAD TO BUS	VERSION: 00	TDR: 000000958110
REV. LTR: -	REVISED: 08:37:45 12/17/2015	BY: RGGWT
FILE: \RGG\00026\318		
MTL: -		



DIM SHT,C3210ATZ THRU C3613ATZ,W/AUX C/BOX

065564-004



SYM	MAKE FROM 065564-004	a	b	c	REMARKS
A	X	1/8	5/8	24*	TERMBX & CVR 180AT-250AT
B	X	1/8	5/8	37 1/2*	TERMBX & CVR 280AT-320AT
C	Y	1/4	5/8	44 1/2 Δ	FILTER TO HOUSING GASKET
D	X	1/8	5/8	170"	TEAO HEAT EXCH.
E	Y	1/4	5/8	72" Δ	TERMBX & CVR

SYM	MAT'L SPEC	a	b	c
X	46024-XV	1/8	5/8	* 50' ROLL; WET ADHESIVE ON ONE SIDE
Y	46024-XV	1/4	5/8	* 50' ROLL; WET ADHESIVE ON ONE SIDE

Δ RELIANCE WILL CUT AND MOUNT ON FILTER HOUSING PER ASSEMBLY DRAWING 603989-2.

* PROD. NOTE: WHEN ORDERING THRU PURCHASING ORDER AS 50 FT. ROLLS, WET ADHESIVE ON ONE SIDE. RELIANCE WILL CUT AND MOUNT ON COVER. PER INSTRUCTIONS ON COVER DRAWINGS.

CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: CHANGE DESCRIPTION ON TITLE BLOCK		
REV. LTR: C	VERSION: 03	TDR: 000000571980
FILE: \RGG\00000\220	REVISED: 10:54:04 12/16/2010	BY: RGGWT
MTL: -		

BALDOR
GASKET,STRIP,CLOSED CELL NEOPRENE
SH 1 of 1

065564-004

