

ABB BALDOR RELIANCE III

Customer information packet

D51100RB-1BV

C3214ATZ, 100HP, 1150RPM, 500, 300, , F2

Specifications

Armature Voltage	500 V
Base Speed	1150 rpm
Enclosure	DPG-FV
Field Voltage	300 V
Frame	C3214ATZ
Output Power	100.000 HP
Ambient Temperature	40 °C
Armature Current	163.0 a
Bearing Grease Type	Polyrex EM (-20F +300F)
Drip Cover	No Drip Cover
Duty Rating	CONT
Feedback Device	NO FEEDBACK
Field Winding Type	STR. SHUNT
Frame Prefix	C
Heater Indicator	No Heater
Insulation Class	F
IP Rating	IP23
Lifting Lugs	Standard Lifting Lugs
Motor Standards	NEMA
Mounting Arrangement	F1
Overall Length	46.25 IN
Service Factor	1.00
Shaft Diameter	2.624 IN
Shaft Ground Indicator	No Shaft Grounding
Shaft Slinger Indicator	No Slinger

Part Detail

Revision	-
Type	DC
Mech. spec.	
Base	
Status	PRD/A
Elec. spec.	G8718A B
Layout	616032-001
Eff. date	01-29-2019
CD Diagram	406770-006
Poles	00
Leads	
Proprietary	False
Created date	01-24-2019

Nameplate

000613006HP									
CAT.NO.	D51100RB-1BV	SPEC NO.		D32-A000-0076					
FR	C3214ATZ	HP	100		DUTY		CONT		
ENCL.	DPG-FV	RPM	1150/2000		S.F.		1.00		
ENCL MOD		VOLTS	500		INSUL		F		
MAX SAFE SPEED	03600	AMPS	163.00		AMB.		40		
FIELD DATA		SER.NO.							
WINDING	STR. SHUNT	POWER CODE		C					
VOLTS	300	D.E. BRG.		85BC02J30X					
MAX AMPS @ 25 C	8.37	O.D.E. BRG.		65BC02J30X					
HOT AMPS	5.96/2.79	MIN. AMB.		0		TYPE		TR	
BRUSH:419904052AB									

Parts List


Part number	Description	Quantity
SA365376	SA D32-A000-0076	1.000 ea
AA017950	AA D32-A000-0076	1.000 ea
000692000FP	NP, WARNING LIFT INSTRUCTIONS	1.000 ea
000692000FS	WARNING LABEL	1.000 ea
033775004EA	DRSCR #6-1/4 304 S.S.	8.000 ea
000613006HP	NAMEPLATE - RPM III D-C MOTOR W/CSA LOGO	1.000 ea
419905004A	HARDWARE	8.000 ea
036000020KB	MHHCS M10-1.5X20MM PLTD.	4.000 ea
036610010AB	MHSLW M10 PLATED	4.000 ea
036501009AB	M8-1.25 X 9MM HEX NUTS	8.000 ea
419905003A	FLAT WASHER ROCKER RPM III RGG	4.000 ea
036000014JB	M8 X 1.25X14MM HXHDCS	4.000 ea
036600009AB	METRIC FLWASH M8 PLATED	4.000 ea
419904-52AB	BRUSH C	4.000 ea
706372012RB	ROCKR METRIC	1.000 ea
706364052RC	BRHLD METRIC SPRING CHG.	4.000 ea
801930102A	BRKT,ODE,C320	1.000 ea
801931102A	BRKT,DE,C320	1.000 ea
004824015A	GREASE POLYREX EM	0.400 lb
036000080KB	HHCSM10-1.5X80MMPLTD-360	3.000 ea
400638001AF	WWSHR OS-H-KK-2	1.000 ea
418150003A	GREASE FITTING CAP	2.000 ea
035000001A	ALFTG 1/8" 1610-BL	1.000 ea
035000001BB	GREASE FTG,GRS.IN	1.000 ea
036100060JA	M8-1.25 X 60MM HXSOCHDCS	3.000 ea
034693001AB	PPLG - G508- use 034692001AB	1.000 ea
034693001AB	PPLG - G508- use 034692001AB	1.000 ea
036500013AB	M16 X 2.0 HX NUT,ODE BRKT 304589	4.000 ea
036500013AB	M16 X 2.0 HX NUT,ODE BRKT 304589	4.000 ea
609830005AAZ	TBOLT METRIC	4.000 ea
610490001DG	2HP,3450//2890RPM,3PH,60//50HZ,56C,3532M	1.000 ea

415000103G	TLUG	1.000 ea
036000012JB	M8-1.25 X 12MM HXHDC	3.000 ea
611965001A	WHEEL, BLOWER	1.000 ea
417733004E	GASKT	2.000 ea
611917002G	GASKT	1.000 ea
036000020JB	HHCS M8-1.25X20L PLTD-250	6.000 ea
032018006CK	HHCS 3/8-16X3/4L PLATED 411409	4.000 ea
000613006NT	NAME PLATE IEC	1.000 ea
036000016KB	HHCSM10-1.5X16MM PLTD-280	2.000 ea
036600009AB	METRIC FLWASH M8 PLATED	3.000 ea
418018074A	GROUND LABEL G100 METRIC 160 D.C.	3.000 ea
708528004E	BLOWER HOUSING	1.000 ea
410978010E	INLET FLGE	1.000 ea
410978019A	SCREEN, INLET FLANGE	1.000 ea
036620009AB	M8 EXTERNAL LK WASHER	1.000 ea
036620010AB	M10 EXT. TOOTH LK WASHER	2.000 ea
034017014AB	LCKW 3/8 STD. PLATED	4.000 ea
418014004A	609185004cDPT/BOX	1.000 ea
032018004CK	HHCS 3/8-16X1/2L PLATED	4.000 ea
422919079	HHCVR KIT, C320, DE, SOLID	1.000 ea
422919084	HHCVR KIT,C320,DE,LOUVER,VERTICAL, S/P	1.000 ea
422919084	HHCVR KIT,C320,DE,LOUVER,VERTICAL, S/P	1.000 ea
422919090	HHCVR KIT,C320,ODE,SOLID	1.000 ea
422919090	HHCVR KIT,C320,ODE,SOLID	1.000 ea
706320010A	CONDUIT BOX 706320009A	1.000 ea
074874025A	CBOXC, PAINTED 320	1.000 ea
402731000A	GASK 320-400	1.000 ea
036000012HB	HHCS M6X12MM LONG PLATED	4.000 ea
036000045JB	M8-1.25 X 45MM HXHCS	4.000 ea
406770006	C/D TAG STRAIGHT SHUNT	1.000 ea
706305026A	GUARD,SHAFT	1.000 ea
034180032HA	KEY 5/8X5/8X4	1.000 ea
000640000P	TAG WINDING THERMOST	1.000 ea
000692000NG	LABEL ;NP 4POLE METRIC LABEL	1.000 ea

004824007K	SPECIAL PAINT	0.200 ea
418018116	WARNING PLATE	1.000 ea

INDUSTRIAL DIRECT CURRENT MOTORS
AND GENERATORS – RPM III

STEEL AND CAST IRON TERMINAL BOX DIMENSIONS
STANDARD SIZE AND ONE SIZE LARGER
FRAMES C3210ATZ THRU C3613ATZ



STEEL TERMINAL BOX DIMENSIONS

FRAME SIZE	MAX AMPS	AA(1)	AB	AC	AF	X	Y	PART NUMBER	AA(1)	AB	AC	AF	X	Y	PART NUMBER
C3210ATZ	185	2	14.88	11.38	4.25	8.44	7.25	74874-R	3	15.31	12.06	4.25	8.44	7.25	74874-24-R
C3212ATZ	269	4	16.75	12.69	5.38	10.56	9.00	700308-3-R	4	16.75	12.69	5.38	10.56	9.00	700308-3-R
C3214ATZ	500	5	21.00	15.88	6.50	12.10	14.62	702658-1-C	5	21.00	15.88	6.50	12.10	14.62	702658-1-C
C3612ATZ	185	2	15.88	12.38	4.25	8.44	7.25	74874-R	3	16.31	13.06	4.25	8.44	7.25	74874-24-R
C3613ATZ	269	4	17.75	13.69	5.38	10.56	9.00	700308-3-R	4	17.75	13.69	5.38	10.56	9.00	700308-3-R
	500	5	22.00	15.88	6.50	12.10	14.62	702658-1-C	5	22.00	15.88	6.50	12.10	14.62	702658-1-C

CAST IRON TERMINAL BOX DIMENSIONS

FRAME SIZE	MAX AMPS	AA(2)	AB	AC	AF	X	Y	PART NUMBER	AA(2)	AB	AC	AF	X	Y	PART NUMBER
C3210ATZ	185	1-1/2	13.62	11.19	3.00	6.00	7.00	75460-R	3	15.31	11.56	3.62	7.88	9.25	76700-RB
C3212ATZ	269	4	15.31	11.56	3.62	7.88	9.25	76700-RB	4	16.62	12.44	4.12	9.50	10.50	76708-RR
C3214ATZ	500	5	19.44	14.19	7.00	12.75	15.00	76870-S	5	19.44	14.19	7.00	12.75	15.00	76870-S
C3612ATZ	185	1-1/2	14.62	12.19	3.00	6.00	7.00	75460-R	3	16.31	12.56	3.62	7.88	9.25	76700-RB
C3613ATZ	269	4	17.62	13.44	4.12	9.50	10.50	76708-RR	4	17.62	13.44	4.12	9.50	10.50	76708-RR
	500	5	20.44	15.19	7.00	12.75	15.00	76870-S	6	20.44	15.19	7.00	12.75	15.00	76870-S

CONDUIT BOX DIMENSIONS WITH TERMINAL BOARDS (IEC TYPE BOX)

FRAME SIZE	MAX AMPS	AB	AC	AF	X	AA (3)	Y	PART NUMBER
C320	400	19.02	15.28	6.20	14.39	---	14.39	706310-63-B
	800	19.02	15.28	6.20	14.39	---	14.39	706310-63-B
	1600	19.02	15.28	7.68	15.35	---	15.35	706310-63-C
C360	400	20.00	15.28	6.20	14.39	---	14.39	706310-63-B
	800	20.00	15.28	6.20	14.39	---	14.39	706310-63-B
	1600	20.00	15.28	7.68	15.35	---	15.35	706310-63-C

OPTIONAL AUXILIARY CONDUIT BOX DIMENSIONS (MAXIMUM)

FRAME SIZE	XAB	XX	XY	PART NUMBER	FRAME SIZE	XAB	XX	XY	PART NUMBER
C320	10.00	4.25	4.25	602007-26-A	C320	13.50	8.00	8.00	706310-3-B
C360	11.00	4.25	4.25	602007-26-A	C360	14.50	8.00	8.00	706310-3-B

- (1) 'AA' CONDUIT.
- (2) 'AF' PIPE TAP.
- (3) CUSTOMER TO PROVIDE HOLE FOR CONDUIT.
- TERMINAL BOX LOCATED ON OPPOSITE SIDE WHEN F-2, V-1, V-4, V-5, W-7, OR C-1 MOUNTING IS SPECIFIED. BOX LOCATED ON TOP WHEN SPECIFIED.
- FOR 'X/P' TERMINAL BOX DIMENSIONS SEE 609979-2.
- FOR MILL TYPE TERMINAL BOX DIMENSIONS SEE 609979-3.

CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION.

REV. DESC: LOAD TO BUS	VERSION: 00	TDR: 000000958110
REV. LTR: -	REVISED: 08:37:45 12/17/2015	BY: RGGWT
FILE: \RGG\00026\318		
MTL: -		



DIM SHT,C3210ATZ THRU C3613ATZ,W/AUX C/BOX

Page 8 of 8